

Flu Vaccination: Not Vaccinated (Adults 65+)

Flu Vaccination: Not Vaccinated (Adults 65+)

- Most recent data (2014): 40% or about 98,800 King County adults age 65+.
- Trend over time: 2001-14: rising
- Description: Did not have a flu shot within the past year
- Healthy People 2020 Goal: 30% or lower

Flu vaccination: not vaccinated (adults 65+) , King County, 2010-2014 average

	Percent	Lower CI	Upper CI
King County (age 65+)	36	34	38
AGE			
65+	36	34	38
GENDER			
Male	37	34	40
Female	35	33	37
RACE/ETHNICITY			
AIAN	*	*	*
Asian	31	23	40
Black	48	36	60
Hispanic	29	15	48
Multiple	*	*	*
NHPI	*	*	*
White	36	34	38
HOUSEHOLD INCOME			
<\$15,000	51	42	61
\$15,000 to \$24,999	35	30	41
\$25,000 to \$34,999	30	25	35
\$35,000 to \$49,999	37	33	42
\$50,000 to \$74,999	39	35	44
\$75,000+	33	29	37
REGION			
East	35	32	39
North	34	27	41
Seattle	34	31	38
South	38	35	41
STATE			
Washington State	37	36	38

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

N/A: Not available.

CI is 95% Confidence Interval.


* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Flu vaccination: not vaccinated (adults 65+)

King County, 2010-2014 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

[-----] Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Flu vaccination: not vaccinated (adults 65+) by health reporting areas, King County, 2010-2014 average

	Percent	Lower CI	Upper CI
King County (age 65+)	36	34	38
Auburn	42	33	52
..Auburn-North	42	30	54
..Auburn-South	43	28	60
Bear Creek/Carnation/Duvall	38	29	49
Bellevue	36	30	43
..Bellevue-Central	36	26	46
..Bellevue-NE	40	29	52
..Bellevue-South	30	17	47
..Bellevue-West	38	27	51
Black Diamond/Enumclaw/SE County	40	31	50
Bothell/Woodinville	32	20	47
Burien	34	24	45
Covington/Maple Valley	38	27	49
Des Moines/Normandy Park	40	28	54
East Federal Way	*	*	*
Fairwood	35	22	52
Federal Way	31	23	40
..Fed Way-Central/Military Rd	30	20	43
..Fed Way-Dash Point/Woodmont	32	21	46
Issaquah	36	25	49
Kenmore/LFP	29	17	45
Kent	36	28	45
..Kent-East	50	33	67
..Kent-SE	34	24	46
..Kent-West	*	*	*
Kirkland	36	28	46
..Kirkland	40	29	52
..Kirkland North	31	20	45
Mercer Isle/Pt Cities	22	16	31
Newcastle/Four Creeks	48	35	62
North Highline	*	*	*
Redmond	33	21	48
Renton	37	29	46
..Renton-East	*	*	*
..Renton-North	39	24	55
..Renton-South	38	27	51
Sammamish	30	20	43
SeaTac/Tukwila	44	30	59
Seattle	34	31	38
..Ballard	28	17	41
..Beacon/Gtown/S.Park	*	*	*
..Capitol Hill/E.lake	38	28	49
..Central Seattle	43	29	58
..Delridge	39	20	63
..Downtown	34	20	50
..Fremont/Greenlake	26	17	37
..NE Seattle	35	26	45
..North Seattle	36	27	47
..NW Seattle	39	30	50
..QA/Magnolia	22	16	30
..SE Seattle	37	25	51
..West Seattle	34	26	42
Shoreline	39	31	47
Snoqualmie/North Bend/Skykomish	54	40	68
Vashon Island	28	17	41

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.


Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Flu vaccination: not vaccinated (adults 65+) by health reporting areas, King County, 2010-2014 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order
Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Flu vaccination: not vaccinated (adults 65+) **King County, 2001-2014, three-year rolling averages**



Trends over time: King County (2001-14: rising); East KC (2001-09: flat; 2009-14: rising); North KC (2001-14: flat);
 Seattle (2001-14: rising); South KC (2001-14: flat); Washington State (2001-09: flat; 2009-12: rising)
 Source: Behavioral Risk Factor Surveillance System.
 Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Produced by the
 Assessment, Policy Development & Evaluation Unit
 Public Health - Seattle & King County
 08/16